PeerClick Tracking Manual. track TrafficJunky campaigns on PeerClick



Introduction. Table of Content.

This manual describes how to integrate **TrafficJunky** with **PeerClick** so you can track the performance of your **TrafficJunky** campaigns on the **PeerClick** network by walking you through the different steps to set everything up.

Set Up TrafficJunky Conversion Tracker

Set TrafficJunky as Traffic Source

Create Campaign on PeerClick

Launch Campaign in TrafficJunky

Pass Conversions from PeerClick to TrafficJunky



Setting Up TrafficJunky Conversion Tracker

Log into your TrafficJunky Campaign Manager. Select **Tools** & Choose **Conversion Trackers.**



Setting Up TrafficJunky Conversion Tracker

- Click on New Tracker and add the Tracker details.
- For the tracker name, we added TJ
 Conversion Tracker. You can also add the location page for the tracker and add it to an existing Tracker Group, if you wish to do so.
- Choose the event you want to track.
 For this example we chose Signup. If you are tracking a Sale or Purchase you can add a value.
- Click Add Tracker to create your tracker.

TRAFFICJUNKY A conversion is an action that a visitor takes on your website such as registering, making a payment, or viewing a particular page. ADVERTISER Manage Trackers **Conversion Stats** Conversion Details Dashboard Create, group and manage all your conversion trackers. You can create pixels that track conversions, add them to the pages of your website and then track these conversions back to ads that you are running on TrafficJunky. Ad Campaigns Tracker Name Tracker Status Events Finance All Trackers All Events All but Deleted 💥 Tools ~ Clear Filters Apply Filters Conversion Trackers Image Bank 🚣 Export 🔍 Manage Labels CREATE NEW CONVERSION TRACKER Referral Program TJ Conversion Tracker * Tracker Name 🖽 Blog Tracker Code Location Page Help Center Create a New Tracker Group Select a Tracker Group Tracker Group Add Funds *Event Signup Lead Value (\$) Purchase/Sale New Campaign View Of a Key Page Create Another Tracker 🕜 Cancel



Setting Up TrafficJunky Conversion Tracker

After filling in the details of your Conversion Tracker, it will show up on the Conversion Trackers list. You can create several Conversion Trackers, according to your needs. For instance, you can create a conversion tracker for your signup page and another one for confirmed payments.

+ New Tracker	Actions	کے E	Export 💌							
	ID 🕈	Tracker Name	Tracker Group ⑦	Event (?)	Value 🝞	Invocation Code 🕐	TJ Conversions (?)	All Conversions (?)	Earned Value 🕐	Conversion Stats 🕐
	1000193061	Testing 4.0		Purchase/Sale	\$0.00	View Code	0	0	0	view
	1000193051	Testing 3.0		Lead	\$0.00	View Code	0	0	0	view
	1000193041	Testing 2.0		Lead	\$0.00	View Code	0	0	0	view
	1000193031	TJ Tracker Testing		Purchase/Sale	\$0.00	View Code	0	0	0	view
	1000193021	Test Tracker		Lead	\$0.00	View Code	0	0	0	view
								Show 25	♥ of 5 entries First	Previous 1 Next Last
© Licensing IP International Sarl.							powered by TRAFFICJUNKY			



Step 2: Set TrafficJunky as a Traffic Source

The next step is to add TrafficJunky as a Traffic Source in PeerClick.

Follow these steps:

- Log into your PeerClick account
- Open the Sources tab, and click New



Set TrafficJunky as a Traffic Source

Choose **TrafficJunky** from the catalog and press **Add**. By default, TJ postback URL and all the available macros will be already added to the Source.

You will need to replace [TRACKERID] and [TJACCOUNTID] with actual values which you can obtain from the Invocation Code tab. The latter part will be explained in detail in the upcoming parts.

TrafficJunky

To run a campaign, you first need a steady stream of traffic to target. Traffic sources provide you with these visitors.

TRAFFIC SOURCE DETAILS	PARAMETERS ⑦	PARAMETERS ③			
Load from templates		Parameter	Placeholder	Track	
Traffic source name	External ID	external_id	{ACLID}		
TrafficJunky	Cost ⑦	cost	{BidValue}		
This will appear on the statistics	Token 1 ②	BidID	{BidID}		
Enable Traffic source postback URL https://ads.trafficjunky.net/tj_ads_pt?a=[TRACKERID]&member_id=	Token 2 🕐	AdID	{AdID}		
[TJACCOUNTID]&aclid={external_id}	Token 3 ②	BanName	{BanName}		
Use this option if you need to fire conversions back to your traffic source.	Token 4 ③	BanID	{BanID}		
Available URL tokens: {clickid} {externalid} {conversion} {conversion.group}	Token 5 ⑦	Location	{Location}		
{clickid} {externalid} {conversion} {conversion.group} {conversionid} {payout} {path} {city} {countryname}	Token 6 ③	SpotID	{SpotID}		
{country} {trafficsource.name} {user} {platform} {device} {browser} {browserversion} {os} {osversion} {language}	Token 7 ③	SpotName	{SpotName}		
{ip} {cost} {brand} {referer} {datetime} {day} {hour}	Token 8 ③	SiteName	{SiteName}		
{size} {diagonal} {offer.id} {token1} {token2} {token3} {token4} {token5} {token6} {token7} {token8} {token9}	Token 9 🕐	BLPName	{BLPName}		
{token10} {token11} {token12} {token13} {token14}	Token 10 ⑦	PLDID			

G Changes to these settings will apply to all campaign which using this offer.



Read article

Step 3: Create campaign on PeerClick

To create a campaign on **Go to the Campaigns tab (1)** and Click on **New (2)**.

On PeerClick, when you have filled out all the required fields of the campaign, your campaign link will automatically appear after saving your campaign. The link is in the highlighted red box in the image. Copy the link in fields box, you will be needing it for future steps.

The parameters generated are based on your traffic source configuration. Once done click Save.



Step 4: Launching a TrafficJunky campaign

For this step, you will need to log into your TJ account. After logging in, click the Campaigns tab. At this point, you can either select a previous campaign, or create a new one. In the **Target URL**, paste the link you have obtained in the previous step. After doing so, proceed with setting up your TJ campaign.





Step 5: passing conversions to TrafficJunky from PeerClick

For this step, you will need the

Conversion Tracker you have created in the first step.

- Locate the conversion tracker you have created
- Click view in Invocation Code column
- Choose Postback URL, and the ٠ URL is automatically generated
- Copy the **a** as well as **member** id ٠
- Replace [TRACKERID] and [TJACCOUNTID] with the values in PeerClick that you did at Step 1 (Go to Sources tab in PeerClick and edit TrafficJunky Source) as shown in the next slide

INVOCATION CODE

The code must be embedded into your web page so that you may track conversions. By tracking conversions you will gain a better understanding of the best performing campaigns, ads, targets, etc.

HTML Version

Postback URL

<?php

\$randomNumber = time() . mt_rand(1000, 9999999);

2>

<img id="1000193031_cpa_testing" src="http://ads.trafficjunky.net/tj_ads_pt?a=1000193031&member_id=1002249721&cb=<?</pre> =\$randomNumber ?>&cti=[TRANSACTION_UNIO_ID]&ctv=[VALUE_OF_THE_TRANSACTION]&ctd=[TRANSACTION_DESCRIPTION]&aclid= [ACLID]" width="1" height="1" border="0" />

Variable Name	Value
TRANSACTION_UNIQ_ID	The unique ID of the transaction is used in order to match conversions reported here with transactions on your Sales backend system.
VALUE_OF_THE_TRANSACTION	The value of the transaction will be used to calculate the total value of conversion for a particular ad. No currency sign ex. 29.99
TRANSACTION_DESCRIPTION	The transaction description is any information that might help you identify the transaction on your Sales backend system. Example: ProductName+Biller+IDOfYourCustomer.
ACLID	This parameter is passed over from the TJ tracking system (click on a banner). It needs to be stored throughout the session duration and passed back through using the passback URL to link the conversion to the click.



X

Passing conversions to TrafficJunky from PeerClick

Pleasure ensure that your postback contains **ClickID** values. It should look like this **acid={externalid}**.

Also, ensure that the checkbox **Enable postback** is checked. After finishing everything, click **Save**.

TrafficJunky

To run a campaign, you first need a steady stream of traffic to target. Traffic sources provide you with these visitors.

TRAFFIC SOURCE DETAILS	PARAMETERS ②				
Load from templates		Parameter	Placeholder	Track	
Traffic source name	External ID ⑦	external_id	{ACLID}		
TrafficJunky	Cost ⑦	cost	{BidValue}		
This will appear on the statistics	Token 1 ③	BidID	{BidID}]	
Enable Traffic source postback URL	Token 2 ③	AdID	{AdID}		
a= <mark>10001588411</mark> &member_id= <mark>10011448311</mark> &aclid={external_id}	Token 3 🕐	BanName	{BanName}		
Use this option if you need to fire conversions back to your traffic source.	Token 4 🕐	BanID	{BanID}		
Available URL tokens: {clickid} {externalid} {conversion} {conversion.group}	Token 5 🕐	Location	{Location}		
{conversionid} {payout} {path} {city} {countryname}	Token 6 ③	SpotID	{SpotID}		
{country} {trafficsource.name} {user} {platform} {device} {browser} {browserversion} {os} {osversion} {language}	Token 7 ③	SpotName	{SpotName}		
{ip}{cost}{brand}{referer}{datetime}{day}{hour}{size}{diagonal}{offer.id}{token1}{token2}{token3}	Token 8 ③	SiteName	{SiteName}		
{size} {diagonal} {offer.id} {token1} {token2} {token3} {token4} {token5} {token6} {token7} {token8} {token9}	Token 9 ③	BLPName	{BLPName}		
{token10} {token11} {token12} {token13} {token14}	Token 10 🕐				

G Changes to these settings will apply to all campaign which using this offer.



Cancel

Read article

That's it! You now can track the performance of your TrafficJunky campaign(s) on PeerClick. For any question, please <u>contact us</u>, and we will make sure to answer all your inquiries!

